



Think

**DELARO**<sup>®</sup>  
Complete

## Keep Your Operation Moving Forward

Delaro<sup>®</sup> Complete Fungicide will offer a distinctive chemistry combination and three modes of action for consistent disease control.

### /// BENEFITS

- **Consistent Disease Control**  
Three modes of action will provide consistent control of all key corn diseases under many different environmental conditions.
- **Higher Yield Potential**  
A distinctive chemistry combination will reliably boost photosynthesis and increase grain fill, leading to higher yields and resistance management.
- **Improved Plant Health**  
Will help strengthen corn stalks to withstand environmental pressures for robust growth.


### Key Corn Diseases Controlled

- Anthracnose Leaf Blight
- Eyespot
- Gray Leaf Spot
- Northern Corn Leaf Blight
- Northern Corn Leaf Spot
- Physoderma Brown Spot
- Rust
- Southern Corn Leaf Blight
- Tar Spot



# Delaro® Complete Fungicide 2025


## Delaro Complete vs Untreated



This data represents 1251 side-by-side corn yield comparisons receiving a single application of Delaro® Complete fungicide (8-12 fl oz/acre) applied at VT/R1-R3 compared to an untreated check across multiple locations throughout U.S in 2025 (data as 2-6-2025) 2025 Bayer.

Locations: N= 1,251 Demo plots IL (298), 162 (IN), IA (91), KS (3), 35 (KY), 14 (MD), 45 (MI), 477 (MN), 3 (MO), 3 (ND), 18 (OH), 27 (SD), 54 (VA), 21 (WI)

## Bayer University Trials



2025 Bayer Small Plot University Trials

Locations: 5 – IL, IN, MO, MI(2)

Diseases reported: Tar spot, Grey leaf spot, Southern rust & common rust, Curvularia

Disease Pressure: Low to moderate

Crop: Corn

**IMPORTANT:** This bulletin is not intended to provide adequate information for use of these products. Read the label before using these products. Observe all label directions and precautions while using these products.

LEARN MORE



**DELARO®**  
Complete

ALWAYS READ AND FOLLOW PESTICIDE LABEL DIRECTIONS.

Performance may vary, from location to location and from year to year, as local growing, soil and environmental conditions may vary. Growers should evaluate data from multiple locations and years whenever possible and should consider the impacts of these conditions on their growing environment.

The recommendations in this material are based upon trial observations and feedback received from a limited number of growers and growing environments. These recommendations should be considered as one reference point and should not be substituted for the professional opinion of agronomists, entomologists or other relevant experts evaluating specific conditions. The distribution, sale, or use of an unregistered pesticide is a violation of federal and/or state law and is strictly prohibited. Check with your state department(s) of agriculture, local dealer or representative for the product registration status in your state. Not all products are registered for use in all states and may be subject to use restrictions. Bayer, Bayer Cross and Delaro® are registered trademarks of Bayer Group. All other trademarks are the property of their respective owners. ©2026 Bayer Group. All rights reserved.

